

## European Solar and Energy Storage Solutions

# Antarctica Ir5 54htb 430m



## Antarctica Ir5 54htb 430m

---



### Longi LR5-54HTB-430M, 430Wp

Preisvergleich für Longi LR5-54HTB-430M, 430Wp Produktinfo => Hinweis: Preise beinhalten tw. 0%-USt.-Steuersätze für AT und DE o Modulanzahl: 1 o Technologie: Monokris...  
Solarmodule Testberichte Günstig kaufen

### LONGi Solar Hi-MO 6 Explorer LR5-54HTB-430M Full-Black

Il modulo solare LONGi Solar LR5-54HTB-430M (Full Black), con una potenza nominale di 430 Watt, è la scelta ideale per soddisfare tutte le vostre esigenze di energia solare. Questo modulo solare, con un'efficienza del 22,02%, garantisce una conversione ottimale dell'energia solare e una maggiore produzione di energia. Grazie alla compatibilità con tensioni di sistema fino a ...



### LONGi Hi-MO 6 Explorer LR5-54HTB-435M I Photovoltaik4all

LONGi Hi-MO 6 Explorer LR5-54HTB-430M - 430Wp (Fullblack) - 108 zelliges monokristallines Solarmodul mit 430 Watt (18 Busbar-Technologie), schwarz eloxierter Modulrahmen  
Das LONGi Photovoltaikmodul mit 108 monokristallinen Zellen ist ein Glas-Folien-Modul mit schwarz eloxiertem Rahmen und weißer Folie.

## Fotovoltaický panel LONGI HI-MO 6 LR5-54HTH-430M, černý rám

Fotovoltaický panel Longi Hi-Mo 6 LR5-54HTH-430M. výkon: 430 W ptyp: MONO barva rámu: černá záruka na produkt: 15 let záruka výkonu: 84,8% / 25 let účinnost Fotovoltaický panel Longi Hi-Mo 6 LR5-54HTH-430M, černý rám, 36 ks/paleta, Longi



### 1. LGiLE(PM)-T-PMD-059-F128 LR5-54HTB 410 ...

Hi-MO@ LRS-54HTB 410-430M 22.0% ±5W  
 <1.5% 0.40% MAX MODULE POWER FIRST YEAR  
 YEAR2 25 EFFICIENCY TOLERANCE POWER DEGRADATION  
 POWER DEGRADATION Additional Value 25-Year Power Warranty 100% 98.5%  
 91.2% 87.7% 84.5% 80.7% 10 15 20 Mechanical Parameters Cell Orientation Junction Box Output Cable Glass Frame Weight ...

### LR5-54HTH-430M (BFR)

Modul solarný LR5-54HTH-430M (BFR) firmy LONGi Solar o imponující moci nominální výkony 430 W umožňuje využít energii sluneční z nejvyšší účinností. Využijte zvýšenou množství energie sluneční díky vysokou výkonnému modulu solarnému, zajišťujícímu imponující spolehlivost na úrovni 22,0250436820316%, což znamená ...



### LONGi Solar HiMo6 430Wp Mono All Black Solar Panel ...

The LONGi Solar HiMo6 430Wp All Black Solar Panel (LR5-54HTB-430M) improves power generation capacity providing a great power to size ratio and excellent performance - achieving



21.8% efficiency. The product family is ...

## LONGi Solar HiMo6 430Wp Mono All Black Solar Panel - LR5-54HTB-430M

The LONGi Solar HiMo6 430Wp All Black Solar Panel (LR5-54HTB-430M) improves power generation capacity providing a great power to size ratio and excellent performance - achieving 21.8% efficiency. The product family is suitable for both ...



## LONGi Solar HiMo6 430Wp Mono All Black Solar Panel - LR5-54HTB-430M

Product Code: LR5-54HTB-430M MCS Reference: BAPT8771-34/03-430W. Downloads. Datasheet for LONGi Solar HiMo6 All Black Solar Panel - LR5-54HTB-430M Installation Guide Warranty Document. Video - Introducing the LONGi Solar HiMo6 Range. SKU: LR5-54HTB-430M Categories: 401-450Wp, All Products, Longi Solar, Solar Panels.

## LR5-54HTD(Transparent design) 415~440M


LR5-54HTD 415~440M 22.5% MAX MODULE EFFICIENCY 0~3% POWER TOLERANCE <1.5%

FIRST YEAR POWER DEGRADATION 0.40% YEAR  
 2-30 POWER DEGRADATION Additional Value  
 30-Year Power Warranty Mechanical Parameters  
 Cell Orientation 108 (6×18) Junction Box IP68  
 Glass Double glass, 2.0mm+1.6mmsemi-tempered glass Frame Anodized aluminum ...



### Longi LR5-54HTB-430M HI-MO 6 Full Black PV Module Solar ...

Technical Sheet 1 - Longi LR5-54HTB-430M HI-MO 6 Full Black PV Module Solar Panel - 430W; Customers' gallery. Reviews . Please enter your postcode to confirm we can deliver this quantity to your address. Please enter a valid postcode. Add for ...




### LR5-54HTD(Transparent design) 415~440M

LR5-54HTD-430M 22.0 STC 435 39.82 13.95  
 33.10 13.15 NOCT 325 37.39 11.27 30.20 10.77  
 LR5-54HTD-435M 22.3 1 100% 98.5% 86.9% 5  
 10 15 20 25 86.90% 30 STC 415 39.02 13.63  
 32.30 12.85 NOCT 310 36.64 11.01 29.47 10.52  
 LR5-54HTD-415M 21.3 A A 1150 1400 1722 1134  
 C 14 9 4.5 A-A 30 30 B-B 15 30 B B Tolerance:  
 Length: ±2mm Width: ±2mm Units: mm ...



### LGiLE(PM)-T-PMD-059-F129 LR5-54HTB 440-450M(30 ...

lr5-54htb 440~450m ??????? ?????,????  
 ?????,?????? ?????,???? iec 61215, iec 61730, ul  
 61730 iso9001: 2015: iso ?????? iso14001: 2015:  
 iso ?????? iso45001: 2018: ?????????? iec62941:  
 ?????????????????????? ...



## Modu? fotowoltaiczny 430W Longi LR5-54HTH-430M

Modu? fotowoltaiczny 430W Longi LR5-54HTH-430M . Producent: LONGI. Numer Katalogowy: LR5-54HTH-430M Kod EAN: 5905515620529 o Dost?pny . Stan magazynowy: 188 szt. modu? fotowoltaiczny, hi-mo 6 explorer, monokryszta?, czarna rama, bia?y backsheet, rama 30 mm, konektor evo2 French Southern and Antarctic Lands . Gabon . Gambia




## LR5-54HTDB 415-430M (30-30& 15 Frame) BetaV1 web

LR5-54HTDB 415~430M Leading technology:No front grid lines design brings higher power gain and fully satisfies the household electricity needs. Low-carbon lifestyle:Use solar power as the foundation to build a low-carbon life, and the product design follows the ...

## Full Black Longi Solar 430Wp 25 jaar garantie

Het LONGI LR5-54HTB-430M Full Black paneel in de Hi-MO 6 Explorer-serie beschikt over een vermogen van 430 Wattpiek. Per vierkante meter van je zonne-installatie is dit 220 Wp en een module-efficiëntie van 22%. Het paneel is

voorzien van 108 half-cut cellen met PERC technologie. De zonnepanelen hebben een afmeting van 1722 x 1134 x 30 mm met 3



**LGiLE(PM)-T-PMD-059-F129  
LR5-54HTB 440-450M ...**

LR5-54HTB 440~450M Mechanical Loading Front Side Maximum Static Loading 5400Pa Rear Side Maximum Static Loading 2400Pa Hailstone Test 25mm Hailstone at the speed of 23m/s Temperature Ratings (STC) Temperature Coefficient of Isc +0.050%/° Temperature Coefficient of Voc -0.230%/° Temperature Coefficient of Pmax -0.290%/° 23.0% MAX MODULE

**LGiLE(PM)-T-PMD-059-F128  
LR5-54HTB 415-435M ...**

LR5-54HTB 415~435M Mechanical Loading Front Side Maximum Static Loading 5400Pa Rear Side Maximum Static Loading 2400Pa Hailstone Test 25mm Hailstone at the speed of 23m/s Temperature Ratings (STC) Temperature Coefficient of Isc +0.050%/° Temperature Coefficient of Voc -0.230%/° Temperature Coefficient of Pmax -0.290%/° 22.3% MAX MODULE



**LGiLE(PM)-T-PMD-059-F129  
LR5-54HTB 440-450M(30-30&  
15 ...**



lr5-54htb 440~450m ?????? ?????,????  
 ?????,????? ?????,???? iec 61215, iec 61730, ul  
 61730 iso9001: 2015: iso ?????? iso14001: 2015:  
 iso ...

**????????????LR5-54HTB-415~430  
 M? , LONGi Solar ...**

LONGi Solar Technology(?????????????????)?????????  
 ??LR5-54HTB-415~430M????????????????????????????HPB  
 C????????????????????????????????!



**1. LGiLE PM -T-PMD-059-F128  
 LR5-54HTB 410-430M 30 ...**

LRS-54HTB 410 430M Suitable ?r Distribution  
 Market Pure black for extreme elegance  
 L?-?HTB-410M LR5-?HTB-415M LR5-?HTB-420M  
 LR5-?HTB-425M L?-54HTB?30M STC NOCT STC  
 NOCT STC NOCT STC NOCT STC NOCT 410 306  
 415 310 420 314 425 318 430 321 38.63 36.27  
 38.83 36.46 39.03 36.65 39.23 36.83 39.43  
 37.02

**Longi Solar Explorer 430WP  
 LR5-54HTB-430 HI-MO 6**

Optimaliseer Je Energieopwekking met het  
 Nieuwe LONGi LR5-54HTB-430M Zonnepaneel.  
 Ontdek het revolutionaire LR5-54HTB-430M  
 zonnepaneel uit LONGi's toonaangevende Hi-MO  
 6 Explorer-serie, dat belooft om de ...



## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://www.ssab-proiect.eu>