

# JinkoSolar Panel Packaging Box Size

LiFePO<sub>4</sub>

Wide temp: -20°C to 55°C

Easy to expand

Floor mount&wall mount

Intelligent BMS

Cycle Life:≥6000

Warranty :10 years



## Overview

---

The modules shall be stored in a complete outer package. The storage area shall be protected pallets and boxes from damp, direct sunlight and waterproof (rain) measures; The modules storage areas should be kept dry, level, the ground and the horizontal Angle is less than 10 °;

The modules shall be stored in a complete outer package. The storage area shall be protected pallets and boxes from damp, direct sunlight and waterproof (rain) measures; The modules storage areas should be kept dry, level, the ground and the horizontal Angle is less than 10 °;

as the pallets and packaging boxes, must be protected from moisture, direct sunlight and rain or water impact. The modules storage areas should be kept dry and level (angle between the ground and the horizontal plane must be less than 10°). Make sure all modules with the same current sorting class are installed in the same area.

The modules shall be stored in a complete outer package. The storage area shall be protected pallets and boxes from damp, direct sunlight and waterproof (rain) measures. The modules storage areas should be kept dry, level, the ground and the horizontal angle is less than 10 °.

ratings, conductor current ratings, fuse sizes, and size of controls connected to the PV output. Once the PV module has been shipped to the installation site, all of the parts should be unpacked properly.

The modules should be stored in a complete outer package, and the storage area as well as the pallets and packaging boxes must be protected from moisture, direct sun-light and rain or water impact. The modules storage areas should be kept dry, level, the ground and the horizontal angle is less than 10 °.Where should Jinko Solar PV modules be installed?

.2.2 Site SelectionIn most applications, Jinko solar PV modules should be installed in a location where they will receive maximum sunlight hroughout the year. In the Northern Hemisphere, the module should typically face south, and in the Southern Hemisphere, the modules should t.

What is the cable length of a Jinko junction box?

ox may be damaged. The cable of the junction box is defined as L, as showed below in Figure 11. For Jinko standard full module L is 900/1200mm, the half-cut module L is 145/290mm, and the SWAN bifacial module L is 150/250mm. For customized module, L can be base on your condition. Please take the cable length into consideration before designin.

What pressure does a Jinko module meet?

er stickers match. Jinko modules are designed to meet a maximum positive (or downward) pressure of 3600Pa (Only refer to the mentioned module type in this manual) and negative (or upward) pressure of 1600Pa. This design load was then tested with a safety

## JinkoSolar Panel Packaging Box Size

---



### Jinko Eagle 405W 144 Diamond Mono PERC Half-cell ...

The Jinko Solar Eagle 72 JKM405M-72HL-V HM G2 solar panel features 144 5-busbar Diamond Mono PERC half-cells that are PID Free and shade tolerant. They are certified for high snow (5400Pa) and wind (2400Pa) loads and have ...

### Jinko Solar Panels Price In Pakistan

Solar Trade offers a wide range of Jinko Solar Panels that are used for commercial, residential, and utility installations. Dimensions: 2166×1002×35mm (85.28×39.45×1.38 inch: Weight: ...



### Jinko Eagle 72 400W Mono PERC 144 Half-cell Solar ...

The Jinko Solar Eagle 72 JKM400M-72HL-V HM G2 solar panel features 144 5-busbar Diamond Mono PERC half-cells that are PID Free and shade tolerant. They are certified for high snow (5400Pa) and wind (2400Pa) loads and have ...

### Jinko Solar Installation manual for Photovoltaic Module

See Figure 5 (a) and (b) for detailed installation

information. Table 1 lists different sizes of bolts for different mounting holes, along with torque recommendations. However, it is crucial to consult ...



## Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://www.ssab-proiect.eu>